

This Listing of Claims shall replace all previous listings of claims.

Listing of Claims

1 1. (Currently Amended) A combination driving and pick-up tool comprising:

2 a handle with a first end and a second end;

3 a driving implement extending from said first end;

4 a telescopic member embedded in said handle; and

5 means attached to the handle to facilitate deployment of said telescopic

6 member from said second end wherein said member deployment means comprises a cap

7 magnetically attached to said telescopic member and in slidable communication with a

8 periphery of said second end of said handle..

1 2. (Original) The combination tool as recited in claim 1 wherein said driving

2 implement is manually-driven.

1 3.(Original) The combination tool as recited in claim 1 wherein said driving

2 implement is power-driven.

1 4.(Original) The combination tool as recited in claim 1 wherein said driving

2 implement is designed to be used in conjunction with a plurality of tool bits.

1 5.(Original) The combination tool as recited in claim 1 wherein said handle

2 comprises tool bit storing cavities.

1 6.(Original) The combination tool as recited in claim 5 wherein said cavities are

2 electrically insulated from the handle.

1 7.(Original) The combination tool as recited in claim 1 wherein said member

2 comprises a plurality of concentrically aligned tubes with a common longitudinal axis.

1 8.(Original) The combination tool as recited in claim 7 wherein said concentrically

2 arranged tubes have a non-circular cross-section.

1 9.(Original) The combination tool as recited in claim 7 wherein said tubes are

2 electrically insulative.

1 10.(Original) The combination tool as recited in claim 1 wherein said telescopic

2 member terminates with a magnet.

1 11.(Original) The combination tool as recited in claim 1 wherein said telescopic
2 member comprises means to receive detachable bits.

1 12.(Original) The combination tool as recited in claim 1 wherein said telescopic
2 member comprises a pick-up implement.

1 13.(Original) The combination tool as recited in claim 1 wherein said deployment
2 means utilizes magnetic attraction.

1 14.(Original) The combination tool as recited in claim 1 wherein said telescopic
2 member terminates in a magnet and said deployment means comprises a ferrous
3 substrate in rotatable communication with the second end.

1 15 (Original) The combination tool as recited in claim 14 wherein said ferrous
2 substrate is attached to said deployment means and in slidable communication with a
3 periphery of said handle.

16 (Canceled)

1 17.(Currently Amended) The combination tool as recited in claim 16 1 wherein
2 said cap is attached to said handle by means of a removable chain.

1 18.(Currently Amended) The combination tool as recited in claim 16 1 wherein
2 said cap is attached to said handle by means of a hinge designed to be in slidable
3 communication with said periphery of said handle.

Claims 19-20 (Canceled)

1 21.(Original) The combination tool as recited in claim 1 wherein said member
2 comprises a nut setter.

1 22.(Original) The combination tool as recited in claim 21 wherein said nut setter is
2 attached to said telescopic member.

1 23.(Original) The combination tool as recited in claim 1 wherein said member
2 deployment means comprises a magnetizable cap that may be slidably rotated while
3 remaining in magnetic contact with said pick-up implement.

1 24.(Currently Amended) A combination driving and pick-up tool comprising :
2 a handle with a first end and a second end, said handle comprising tool bit
3 storing cavities;
4 a driving implement extending from said first end adapted to be used in

In Re 10/606,493
Response to Restriction Requirement
Page 4

1 conjunction with a plurality of tool bits;
2 a telescopic pick-up implement deployable from said second end and
3 comprising a plurality of electrically insulative concentrically aligned tubes with a common
4 longitudinal axis; and
5 means attached to the handle to facilitate deployment of said implement
6 from said second end wherein said pick-up implement deployment means comprises a
7 magnetizable cap attached to said implement.

1 25.(Original) The combination tool as recited in claim 24 wherein said telescopic
2 pick-up implement terminates with a magnet.

1 26.(Original) The combination tool as recited in claim 24 wherein said telescopic
2 pick-up implement is terminated with a removably attached nut setter.

1 27. (Original) The combination tool as recited in claim 24 wherein said
2 concentrically arranged tubes have a non-circular cross-section.

1 28. (Original) The combination tool as recited in claim 24 wherein said handle,
2 driving implement, and pick-up implement are aligned along an identical longitudinal axis.

1 29.(Currently Amended) The combination tool as recited in claim 24 wherein
2 ~~said pick-up implement deployment means comprises a magnetizable cap that is~~
3 attached to said handle.

Claims 30-31 (Canceled)